

**Tender Notice No. 02/ 2020-21**

**Date:4<sup>th</sup>March 2021**

**Short Tender Notice For**

**OFFICE OF THE DIVISIONAL FOREST OFFICER,  
DHENKANAL FOREST DIVISION**

**AT-MAHATMA GANDHI MARGA,**

**P.O/DIST-DHENKANAL**

**PIN-759001**

**TENDER NOTICE NO. 02/2020-21**

**DATE: 04<sup>th</sup> MARCH, 2021**

**SHORT TENDER NOTICE FOR**

**“PROCURE OF EQUIPMENTS FOR USE IN WILDLIFE**

**RESCUE AND REHABILITATION IN DHENKANAL**

**DIVISION”**

Sl. No.	Item	Tender Specification	No. of Unit	Rate/Unit including all Taxes	Total Cost including all Taxes
1	2	3	4	5	6
1	Generator(Honda make)	Honda EP 1000RD 750 VA, Petrol Run, Recoil starter, Fuel Tank Capacity-3.6 ltrs, 6.7 Hour continuous Running Time, 27.4 Kg. weight	1		
2	Power Saw		2		
3	Cutter		1		
4	Tent	Coleman Dome footprint 7 feet X 7 Feet, Centre Height, 4 Feet 4 inches, Tent Weight 3.8 Kilograms. Weather Tec system keeps water out carry bag for easy transport The tent with large windows that allow good ventilation and help in cooling the tent. Doors: 1 door sleep:3 people, Flysheet, Polyester taffeta 68D	1		
5	Water Tank(FRP)-1000 Ltrs		1		
6	Blanket		2		
7	Winch	Winch Line: Steel wire Rope 4 mm Length of cable: 50 mtrs Weight Capacity: 500 Kg. Easy to use	1		
8	Light	Light Output:350/35 lumens (High/low) Beam distance:300/100 meters Runtime 2/50 hours Batteries, 4X AA Duracell included	5		
9	Wireless(VHF)-5Watt.	Brand Omega A-36 Frequency Range 350 MHz Channel Capacity 16 Operating Voltage 7.2 V Power Output 4W/1W Type wireless	5		
10	Wireless(VHF)-Kenwood with base station-60 Watt.	Brand Omega Frequency Range:350 MHz Channel capacity 16 Operating Voltage 7.2 V Power output 4W/1W Type wireless	1		
11	Carbineer Screw	Vertical [Kn]: 23, Open [Kn]: 7, Minor axis [Kn]: 8 Width [mm]: 70 Length [mm]: 100 CE Marking: CE 0082 Closure: Screw Weight: 65 g	1		
12	Tubular Webbing Spindle	Width [mm]: 25,00 Weight [g/m]: 43,00 Load capacity [kn]: 20 CE marking: 1019	1		

13	Pulley		1		
14	Helmet	Weight of helmet is 850 grams approx POLYCARBONATE VISOR It has front adjustable unbreakable Splinter roof Polycarbonate transparent arch shape visor In various thickness of 3 mm. HELMET Light weight fibre glass (FRP) helmets. Good protection against splinters. Fragments, Petrol Bombs, Stones.	5		
15	Fibre Shield	Size [cm]: 80 x 45 (polycarbonate) Weight [gm]: 1600-2500 Thickness [mm]: 3, 4 Material: Polycarbonate UV Resistant	5		
16	Kit Bag	Kit Included 1 Hook 36" 1 Hook 20" 1 Bagger 2 Rescue Bag 1 Kit Bag	5		
17	Rigging Plate		5		
18	Rack		5		
19	Sleeping Bag	Coleman For temperatures 30 <sup>o</sup> F to 50 <sup>o</sup> F (1.11 <sup>o</sup> C to 10 <sup>o</sup> ) For heights up to 5ft. 11 inch (1.8m), Weight 3.5Kg Polyester cover and soft tricot fiber blend liner Two-way no-snap patented zipper blows fabric away from the zipper Unzip the bottom for extra ventilation on warmer nights Roll Control Design makes folding quick and	5		
20	Collar Guard Axe	Drop-Forged Hammerhead Heat Treatment Carbon Steel, INCO Style Fibber glass Handle Weight 600GM	2		
21	Jump Suit		5		
22	Googles	Impact resistant duralite polycarbonate construction Regular size fits over most prescription eyeglass frames 99.9 percent UV protection	5		
23	Bandit Scarf		2		
24	Head Light	Battery Guard technology to stop battery drain to preserve battery life and reduce corrosion. Allows batteries to be stored in headlamp for years (up to their inherent shelf life) Fully adjustable head strap for comfortable wear 4modes high, low. flash red; upto 3.5 hrs runtime on high upto 3.5 hrs runtime on high upto 200 hrs runtime on low :3AAA batteries (included)	5		

25	GPS		1		
26	Compass Sunto Kb-20		2		
27	Tochon Pulley		1		
28	Night Vision Binocular		1		
29	Weighing machine	Electronic Weighing balance LED display,500kg,6V rechargeable battery	1		
30	Scare away Gun	It works with a propane or LPG tank up to 20 bars Time option to exclusion in between 30 Sec and 20 Minute It produces a sound of 120-125 db 24.540 blast with a standard 5-gallon/20-pound propane tank It is effective in an area of 5000 M <sup>2</sup> Operates without recoil.	1		
31	Saline Stand		1		
32	Auger Driller	Type of product Earth auger engine Displacement 52 CC Engine Type Air cooled,2 stroke, single cylinder gear ratio 32:1 fuel tank capacity 1.2 L drill Diameter 100/150/20 mm Drill length 800/1000 mm Max Engine speed 8000 RPM Oil/Petrol mixing ratio 1:25 Drilling rotational speed 170 U/min rated output Power 1.9	1		
33	Water Pipe	-	1		
34	Hammer	Type of Hammer- Sledge Hammer Handel Material- Fiber Handel Handel Lenth-260 MM Weight-1lbs, 1.1/2lbs, 2lbs, 3lbs, 4lbs Head Materials-Carbon Steel Colour-Yellow and Black	1		
35	Knee Guard	Material: Made out of camouflage Cloth Thickness-2mm Polycarbonate sheet fixtures Polycarbonate Sheet with rubber padding for shock absorption	5		
36	Red Signal Torch		1		
37	Metal Detector	Deep penetrating mode available	1		
38	Sample Collection Unit		2		
39	Floating Tube		2		
40	Jarkin		3		
41	Stretcher		1		
42	Canvas Carrier		2		
43	Anchor		1		
44	Aluminium Foldable Ladder		1		
45	Agroshed Net(1 Roll)		1		
46	Cage (Wooden)		1		
47	Cage (Fibre) for Birds and small Reptiles		3		
48	Crate with blind & fibber wheel		1		
49	Thick net for capturing aquatic animal		1		
50	Snare		3		
51	Trap		3		
52	Torch Light (high beam)		3		
53	Loud Speaker-Ahuja (Battery Operated)		1		

54	First aid Box		2		
55	Siren or Hotter		1		
56	Thick rubber gloves		2		
57	Snake catching rod		2		
58	Anklet boot	Height 15" Upper- heavy duty PVC lining high sweat absorbing Tee: steel toe en 345/isi, color: black; approval : as per CE en 345/isi	2		
59	Thick belt (for lifting)		2		
60	Ropes, Iron Chain		2		
61	Crowbar, Spade, Raker		3		
62	Polythene Sheet		1		
63	Water Sprinkler(Hand)		2		
64	Bill hook, Chain link fence (25' length x 8' height)		3		
65	Lathi (Each)	Length [inch]:39 Thickness [mm]:4 Color: Transparent Fixtures Hand Grip Material: Polycarbonate Heavy Duty weight [gm]:350	5		
66	Snake Hook		2		
67	Snake Tong		4		
68	Snake Bag		4		
69	Snake Trap		1		
70	Snake Catcher		2		
71	Snappy Snares		2		
72	Wooden crate for transfer Crocodile 8' & 12' long	Type of Hammer-Sledge Hammer Handle Material-Fibre Handle Handle length-260 mm Weight-1lbs,1-1/2 lbs,2lbs,3lbs,4lbs Head Material-Carbon steel Color-Yellow and Back	1		

**Note:-**

1. The bidders shall give technical specification in items where the specifications are not mentioned.
2. The bidders can also indicate any superior technical specifications of his product against any of the items.

The Bidder must satisfy all the following Eligibility Criteria to participate in this Tender;

**1. General Instructions (Necessary support documents are to be enclosed):**

- A. The Bid Must Contain the Requisite Tender Document Cost Rs. 100/- and EMD OF Rs.5000/-as per the advised mode in the tender document. The bid documents can be download from the website [www.dhenkanal.nic](http://www.dhenkanal.nic) or can be obtained from the office of the undersign on payment of requisite fee. EMD should be in shape of Demand Draft issued by a nationalized or scheduled bank in favour of "The Divisional Forest Officer, Dhenkanal Division, " Payable at Dhenkanal .The bid document is available on holidays too in the office of the undersigned.
- B. The bidder must have been Registered with GST and must furnish the GST Registration certificate, GST Clearance certificate, PAN, IT return for 2019-20 in the bid.
- C. Last date of bid submission (by messenger/Courier/Post)- 16<sup>th</sup> March,2021 at 12:00 Noon in the office of the Divisional Forest Office, Dhenkanal Division.
- D. Date of bid opening- 16<sup>th</sup> March,2021 at 04:00 PM in the office of the Divisional Forest Office, Dhenkanal Division.

  
Divisional Forest Officer,  
Dhenkanal Division

Memo No 1899<sup>(2)</sup>/Dt. 4-3-2021.

Copy submitted for favour of kind information and necessary action to.

1. The Principal Chief Conservator of Forests (Wildlife) & Chief Wildlife Warden, Odisha, Bhubaneswar.
2. The Regional Chief Conservator of Forests, Angul.

  
Divisional Forest Officer,  
Dhenkanal Division